

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

1. - 9. (Canceled)

10. (Currently Amended) A polymer composition comprising, per 100 parts by weight:

99 to 60 parts of a styrene polymer (A), selected from the group consisting of polystyrene, acrylonitrile-butadiene-styrene copolymer (ABS), ~~and~~ elastomer-modified polystyrene and mixtures thereof,

1 to 40 parts of (B) + (C),

(B) being a copolymer containing polyamide blocks and polyether blocks comprising ethylene oxide units  $-(C_2H_4-O)-$ ,

(C) being a compatibilizer ~~selected from the group consisting of: (C1) a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000, having per copolymer 1-3 styrene units and 6-8 maleic anhydride units, (C2) a copolymer of ethylene and of an unsaturated carboxylic acid anhydride, comprising, (C3), an ethylene/alkyl-(meth)acrylate/unsaturated epoxy terpolymer (C4) a block copolymer of polystyrene/polybutadiene/polystyrene or polystyrene/polyisoprene/polystyrene grafted by an unsaturated carboxylic acid or an unsaturated carboxylic acid anhydride or mixtures thereof and, optionally, (C1), a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000,~~ comprising, (C3), an ethylene/alkyl-(meth)acrylate/unsaturated epoxy terpolymer (C4) a block copolymer of polystyrene/polybutadiene/polystyrene or polystyrene/polyisoprene/polystyrene grafted by an unsaturated carboxylic acid or an unsaturated carboxylic acid anhydride or mixtures thereof and, optionally, (C1), a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000,

(B)/(C) having a weight ratio between 2 and 10.

11. (Currently Amended) A composition according to claim 10, in which (A) comprises at least one of polystyrene and ~~high-impact~~ elastomer-modified polystyrene.

12. (Currently Amended) A composition according to claim 10, in which (A) comprises at least one of an acrylonitrile-butadiene-styrene copolymer ABS and ~~high-impact~~ elastomer-modified polystyrene.

13. (Currently Amended) A composition according to claim 10, wherein (C) comprises (C1) in which (C1) comprises a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000, having per copolymer ~~1-3~~ 6-24 styrene units and 6-8 maleic anhydride units.

14. (Canceled)

15. (Currently Amended) A composition according to claim 10, wherein ~~(C)~~ ~~comprises (C3) in which~~ (C3) is an ethylene/alkyl (meth)acrylate/unsaturated epoxy terpolymer containing up to 40% by weight of alkyl(meth)acrylate and up to 10% by weight of unsaturated epoxy.

16. (Previously Presented) A composition according to claim 10, wherein the amount of (B) + (C), is by weight, from 5 to 20 parts per 95 to 80 parts by weight of (A).

17. **(Previously Presented)** A composition according to claim 10, wherein the weight ratio (B)/(C) is between 4 and 6.

18. **(Previously Presented)** An article selected from the group consisting of film, pipe, sheets, packaging, computer casings, and telephone casings, said article comprising a composition according to claim 10.

19. **(Previously Presented)** A composition according to claim 10, wherein (C) comprises (C1).

20. - 22. **(Canceled)**

23. **(Previously Presented)** A process comprising shaping a composition according to claim 10 into an article selected from the group consisting of film, pipe, sheets, packaging, computer casings, and telephone casings.

24. **(Previously Presented)** A composition according to claim 10, wherein said styrene polymer (A) comprises an elastomer-modified polystyrene.

25. **(Previously Presented)** A composition according to claim 24, wherein (C) comprises an ethylene/alkyl(meth)acrylate-unsaturated epoxy terpolymer containing up to 40% by weight of alkyl(meth)acrylate and up to 30% by weight of unsaturated epoxy.

26. **(Currently Amended)** A composition according to claim 24, wherein the elastomer of said elastomer-modified polystyrene ~~comprises impact polystyrene wherein the elastomer comprises~~ is polybutadiene.

27. **(Previously Presented)** A composition according to claim 25, wherein (C) comprises ethylene-methyl acrylate-glycidyl(meth)acrylate terpolymer.

28. **(Previously Presented)** A composition according to claim 27, wherein (C) comprises ethylene-methyl acrylate-glycidyl(meth)acrylate terpolymer the glycidyl (meth)acrylate units being present in amount of 0.1-8% by weight of said terpolymer.

29. **(Previously Presented)** A composition according to claim 15, wherein (A) comprises an elastomer-modified polystyrene or polystyrene.

30. - 33. **(Canceled)**

34. **(Previously Presented)** A composition according to claim 29, wherein (C) comprises ethylene-methyl acrylate-glycidyl(meth)acrylate terpolymer.

35. **(Previously Presented)** A composition according to claim 29, wherein (C) comprises ethylene-methyl acrylate-glycidyl(meth)acrylate terpolymer, the glycidyl (meth)acrylate units being present in amount of 0.1 - 8% by weight of said terpolymer.

36. (Previously Presented) A composition according to claim 29, wherein (A) comprises polystyrene.

37. (Previously Presented) A composition according to claim 28, wherein (A) comprises polystyrene.

38. - 41. (Canceled)

42. (Currently Amended) A polymer composition consisting of per 100 parts by weight:

99 to 60 parts of a styrene polymer (A), selected from the group consisting of polystyrene, acrylonitrile-butadiene-styrene copolymer (ABS), and elastomer-modified polystyrene and mixtures thereof,

1 to 40 parts of (B) + (C),

(B) being a copolymer containing polyamide blocks and polyether blocks comprising ethylene oxide units  $-(C_2H_4-O)-$ ,

(C) being a compatibilizer ~~selected from the group consisting of: (C1) a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000, having per copolymer 1-3 styrene units and 6-8 maleic anhydride units, (C2) a copolymer of ethylene and of an unsaturated carboxylic acid anhydride, comprising, (C3), an ethylene/alkyl-(meth)acrylate/unsaturated epoxy terpolymer (C4) a block copolymer of polystyrene/polybutadiene/polystyrene or polystyrene/polyisoprene/polystyrene grafted by an unsaturated carboxylic acid or an unsaturated carboxylic acid anhydride or mixtures thereof~~

and, optionally, (C1), a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000,

(B)/(C) having a weight ratio between 2 and 10.

**43. (Currently Amended)** A polymer composition consisting essentially of, per 100 parts by weight:

99 to 60 parts of a styrene polymer (A), selected from the group consisting of polystyrene, acrylonitrile-butadiene-styrene copolymer (ABS), ~~and~~ elastomer-modified polystyrene and mixtures thereof,

1 to 40 parts of (B) + (C),

(B) being a copolymer containing polyamide blocks and polyether blocks comprising ethylene oxide units  $-(C_2H_4-O)-$ ,

(C) ~~being a compatibilizer selected from the group consisting of: (C1) a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000, having per copolymer 1-3 styrene units and 6-8 maleic anhydride units, (C2) a copolymer of ethylene and of an unsaturated carboxylic acid anhydride, comprising, (C3), an ethylene/alkyl-(meth)acrylate/unsaturated epoxy terpolymer (C4) a block copolymer of polystyrene/polybutadiene/polystyrene or polystyrene/polyisoprene/polystyrene grafted by an unsaturated carboxylic acid or an unsaturated carboxylic acid anhydride or mixtures thereof~~ and, optionally, (C1), a copolymer of styrene and maleic anhydride having an average molar mass of between 800 and 10,000,

(B)/(C) having a weight ratio between 2 and 10.